Highland Center - Pennington Position 1

6:00 AM - 2:30 PM, Mon. - Fri.

Area	Duty	Frequency
PH classrooms	Trash, vacuum, clean chalkboards	Daily before 8:00
110 112		
114 116		
PH dance studio 102	Trash, dust mop, spot mop	As needed
	Clean mirrors	Daily
PH martial arts room 104	Trash, dust mop, sanitize, clean mirrors	Daily
PH halls and entries	Clean mats, sweep, clean glass, clean drinking fountains	Daily
118 (observation hall)	Vacuum carpeted floors, edge clean hard surface floors,	
101 (hall/entry) 100 (entry)	straighten furniture	
119 (hall)		
1214 1302 (Coaches)		
PH restrooms	Restroom procedures	Daily
111 113	The survey of th	
PH drinking fountains	Clean	Daily
HC 1400 Hum. Perf.	Trash, vacuum, clean chalkboard (includes classroom).	Daily
1312 Lab	,,	<i>j</i>
1226 Women's changing		
1228 Men's changing		
1232 Exam		
HC 1200, 1211, 1212	Trash, wet/dust mop, vacuum, clean glass	Daily
Training Room		
1208 Treatment		
1206 Hydrotherapy		
1204 Exam		
1202 Taping HC Coaches offices	Trash	1x week
1216 1218 1220	Vacuum	1x week 1x every 2 weeks
1222 1224 1300	Vacuum	1x every 2 weeks
1316 1314 1402		
1408 1406 1412		
1410 1800 1802		
1804 1806 1808		
1810 1812 1816		
1818 1820 1822		
1824 1828 1830		
1832 1834 1836		
1838 1840 1842 1844 1846 1848		
1850		
HC Equipment room	Clean	As needed
complex		
1600 1606		
1602 1608		
HC Restroom 1230	Restroom procedures	Daily
HC Janitor Closet	Clean and restock	As needed
1826 1032		
	Snow removal	As needed
	Dump trash cart	As needed
	Other duties as assigned. Employee may be required to carry a	
	communications device.	

Revised 4/21/06 Page 1 of 2

Highland Center - Pennington Position 1 6:00 AM - 2:30 PM, Mon. – Fri.

NOTICE

Due to extensive remodeling/construction of this facility, this is a tentative area description subject to change based on facility usage.

Important notes:

Employee may be required to carry a communications device such as 2-way radio, cell phone, or pager.

Employees are responsible for replacing light bulbs in their area where ceilings are of average height – approximately 8 feet or lower.

All responsibilities outlined on this area description must consistently meet department standards.

Location of equipment closet: HC 1032

Clean Up Kit	MSDS	Bio-hazard Bucket
Janitor room near men's LR, 1 st floor janitor rm across from SG FH janitor closet TC 1 st floor janitor closet by elev.	Pool filter room HN first floor janitor room	Otto – SW side by storage area

Revised 4/21/06 Page 2 of 2