## Highland Center - Fieldhouse Position 4 10:30 рм – 7:00 ам, Monday - Friday

Area	Duty	Frequency
HC Fieldhouse main	Trash	Daily
offices	Vacuum	3x week
118 124	Clean windows, dust	As needed
135		
HC Fieldhouse private	Trash	1x week
offices	Vacuum	1x 2 weeks
118A 118B	Clean windows, dust	As needed
118C 118D		
124A 124B		
124C 135A		
135B 135C		
135D 135E		
135F 135G		
135H		
HC Fieldhouse	Trash	Daily
workrooms	Dust mop, wet mop	As needed
118E 124D		
135I		
HC Fieldhouse conf. rm.	Trash, vacuum	Daily
129	Clean windows, dust, clean table	As needed
HC Fieldhouse Copy	Trash, dust mop, spot mop	Daily
Shop 130		
HC Fieldhouse restrooms	Restroom procedures	Daily
111 110		2 411 9
HC Fieldhouse 100		
Bleachers	Clean, dust mop	As needed
Sand pits	Sweep sand into area, cover	As needed
Track and infield	Run sweeper and autoscrubber, trash	Daily
Door glass throughout	Clean	Daily
area	cican	Dully
HC Fieldhouse janitor	Clean and stock	As needed
closet 114A	Cicali and Stock	Asticcucu
HC Fieldhouse storage	Clean	On request
areas	Citan	only
104 105		July
104 105		
100 107		
HC Fieldhouse entries	Lock and unlock. Activate electronic doors. Clean glass, sweep,	As needed
The Freidhouse enules	clean up cigarette butts, empty and clean ashtrays, remove snow and	As needed
	leaves Class environment of the Person and a description	
	Clean equipment after use. Report needed repairs.	
	Other duties as assigned.	

## Highland Center - Fieldhouse Position 4 10:30 рм – 7:00 ам, Monday - Friday

## Important notes:

Employee may be required to carry a communications device such as 2-way radio, cell phone, or pager.

Employees are responsible for replacing light bulbs in their area where ceilings are of average height – approximately 8 feet or lower.

All responsibilities outlined on this area description must consistently meet department standards.

Location of equipment closet: HC 114A

## NOTICE

Due to extensive remodeling/construction of this facility, this is a tentative area description subject to change based on facility usage.

Clean Up Kit	MSDS	Bio-hazard Bucket
Fieldhouse janitor closet (114A)	HN first floor janitor closet	Otto, SW side by storage