Taylor Center Position 2 3 PM – 11:30 PM, Tuesday - Saturday

Area	Duty	Frequency
TC Entries	Lock Tuesday – Thursday. Deactivate handicap doors. May need to	
	assist with locking fieldhouse.	
TC 101 Hall of	Dust mop, auto scrub, edge, dust horizontal surfaces, vacuum or	Daily
Champions	extract entry mats.	
	Clean windows, display cases, concourse entry windows, box office	As needed.
	window.	
	Trash	Daily
TC Concourse	Dust mop, auto scrub, spot mop, empty and clean trash containers,	As needed
104 105	clean horizontal surfaces.	
TV areas		
TC foyers and link	Dust mop, spot mop, trash	Daily
hallways	Autoscrub, edge, clean horizontal ledges	As needed
103 107		
108 172		
TC hallways and	Dust mop, sot mop, trash	Daily
vomitories in lower	Autoscrub, edge, clean horizontal surfaces	As needed
level		
001 036		
061 064		
090A 090B		
090C 090D		
TC Bresnan Arena gym	Dust mop	Daily
floor 090	Autoscrub, remove black marks, tape residue, and glue	As needed
TC Bresnan Arena seating	Check following classes.	As needed.
	Clean (with clean up crew) following events.	
TC janitor closet	Clean and stock	As needed
033		
TC event coverage	Provide set up and take down assistance during events taking place	As needed.
	in Taylor Center. Must be available to respond to requests made	
	during events.	
HC classrooms	Classroom procedures	Daily
1700 1702		
Academic and	Assist carpet crew with carpet extraction procedures.	As needed.
administrative buildings		
	Clean equipment after use. Report needed repairs.	
	Other duties as assigned.	

Important notes:

Employee may be required to carry a communications device such as 2-way radio, cell phone, or pager.

Employees are responsible for replacing light bulbs in their area where ceilings are of average height – approximately 8 feet or lower.

All responsibilities outlined on this area description must consistently meet department standards.

Location of equipment closet: TC 173, 033 (scrubber), 139, 182. Supplies are in TC 075.

Clean Up Kit	MSDS	Bio-hazard Bucket
TC 173 (by elevator)	TC 173 (by elevator)	TC 173 (by elevator)

Revised: 5/23/03 Page 1 of 1